

## 智能无线云 AP 云 AP 故障排除

### AP

1

1

AP

	DC	PoE	PoE
	9 24V	18V/0.8A	48V/0.5A
		4 5	7 8
		1 2 4 5	3 6 7 8
1	24V POE	48V POE	
2	48V	LAN	POE
3			

2

AP

	DC	PoE	PoE
	9 24V	18V/0.8A	48V/0.5A
WAN/LAN		4 5      7 8	1 2      3 6 4 5      7 8
1	24V POE	LAN	48V POE
2	48V	LAN	WAN/LAN      POE
3	LAN		

3

AP

	DC	PoE	PoE
	9 24V	18V/0.8A	48V/0.5A
WAN/LAN		4 5      7 8	1 2      3 6 4 5      7 8
1	24V POE	LAN	48V POE

2	LAN	48V	LAN	WAN/LAN	POE
3					

4 DC PoE AP

5 PoE 48V/0.5A AP

2 IP AP DHCP  
DHCP

AP  
Redwave

AP

AP

	/			
	/100mW	300Mbps	10 15	
	/400mW	150Mbps	20 30	
	/200mW	300Mbps	20 40	
	/100mW	300Mbps	10 15	
	/400mW	300Mbps	64	
	/400mW	300Mbps+900Mbps	128	
	/400mW	300Mbps+150Mbps	64	
	/400mW	300Mbps+3G/4G	64	

AP

AP

AP

1 6 11

≡ **AP**

1

POE

	POE	23V-0.8A	48V-1A
23V POE	4 5      7 8	1 2      3 6 4 5      7 8	
48V POE	4 5      7 8	1 2      3 6 4 5      7 8	

POE

LAN

POE

POE

48V

IEEE802.3af

2

**DHCP**

DHCP

IP

DHCP

IP

3

**DNS**

DNS

DNS

4

APU


MAC

APU

APU

APU

IP 0.0.0.0 10.XX.XX.XX  
DHCP



4

AP

-89

-89

-89

0

-89

-89

-89

0

-89

-89

SSID

0

5

1

DHCP

DNS

2

AP

3

6

7

8

100%

9

10

https

感谢您使用本公司无线设备，如有技术问题，请拨打 [400-008-2458](tel:400-008-2458)，或者浏览网站

[www.redwave.cc](http://www.redwave.cc)